

More glass – more light  
Fewer frames  
Clean design  
Timeless and stylish  
Best thermal insulation  
Innovative surfaces

# Just beautiful windows



# Less is more





## New Simplicity in Design



The GEALAN-KUBUS® System defines a new clean design in architecture. More light and transparency through large window surfaces open up new leeway in design. The new system is impressive in room interiors because of its flush sightline without distracting seams. From the outside, its rectangular footprint emphasises the harmonious overall impression.

## Square and Almost Invisible


The system's dimensions are 100 mm for the sash combination as well as for the mullion. That way the mullion and lateral frame parts have the same sightline, which conveys symmetry and aesthetics to the eye of the beholder.

Continuous 100 mm sightline, including in the area of the mullion






### KISS-principle: Keep it small and simple



① All-around rectangular appearance, both inside and outside. ② Sash not visible from outside.



③ Seamless sash design without window bars and flush sightline through optimal clip profile.④



⑤ Unique surface quality on the exterior side through exclusive ACRYLCOLOR technology.



⑥ Innovative STV® adhesive technology makes possible a borderless design for the sash and ensures maximal stability.



⑦ Outstanding thermal insulation through foam-filled profile chambers.







## SYSTEMATIC INNOVATION



### Soffit variants



100% exposed



half concealed



almost invisible




## The Ideal Window Design

More is not possible! The design-oriented GEALAN-KUBUS® Window System opens up maximum design possibilities as well as new perspectives for architects. With the 100% exposed, half concealed or almost invisible frames, proportions that leave an impression emerge.

## Easy-to-clean Frame Geography

The GEALAN-KUBUS® System is also impressive from a functional point of view, above all with respect to the ease of cleaning. In the profile geometry, special emphasis was placed on the flowing contours of the frame. The frame stop has no seal, while a curved centre sealing dome is integrated into the frame.



## 100 mm – the measure of all things

- No window bar
- 100 mm installation depth and sightline with the sash package as well as with the mullion
- Flush interior view
- Clean contours

Suitable for:  
**S 9000 lift/slide door, S 9000 design and house door system**

GEALAN-KUBUS® can be combined with the S 9000 system and is suitable for window and balcony door solutions.

Compatible with

**S 9000**

**82,5 mm**

Your GEALAN partner is happy to advise you:

GEALAN BALTIC  
Guopstos, Trakai district  
LT-211 48 Lithuania  
Tel. +370 5 2 777 222  
Fax. +370 5 2 779 649  
info@gealan.lt  
www.gealan.lt

